

GoProtect SIMPLE SOLUTIONS

Moss & Algae Remover

A Cleaner to remove Moss, Algae, Lichen & Other Organic Growth From Porous Roof & Landscape Surfaces.



PRODUCT DESCRIPTION

- A high performance cleaner designed to remove organic and microbiological contaminants from porous surfaces such as stone, concrete, terracotta, clay, slate etc.
- A liquid remover designed to clean and protect surfaces from moss and algae.
- Supplied in a concentrate form where 1 part is added to 16+ parts of water to make a ready to use product.
- The product does not contain solvents, acids or caustic soda.

PACKAGING

750 ml Sprayers

ADVANTAGES & CHARACTERISTICS

- Risk-free for the user & environment.
- Exterior use only.
- Suitable for all substrates: can be used on metal, glass, rubber, paints, etc.
- Powerful acting water based remover, non-corrosive and non-irritant.
- Easy and quick to use, suitable for exterior use, especially on roofs.
- Cleans and removes contaminants from: walls, landscaped ground surfaces, paths, roofs.

GoProtect Limited, 71-75 Shelton Street, London WC2 9JQ
Tel: 020 3911 5526. E-mail: info@goprotect.co

APPLICATION INSTRUCTIONS

- Shake the container well before use
- Always test apply on a small hidden portion of the substrate commencing works.
- Make a 60ml dose up to 1 litre with water for a ready to use product.
- Apply a generous, even application and saturate the moss, algae, lichen and fungi
- Avoid contamination of adjacent plants, trees and ponds.
- Use a brush for thick contamination, and garden sprayer for the thin contamination.
- The more porous the surface and thicker the growth the lower the coverage rate will be.
- Treatment should only be carried out on a dry day and can take up to 12 days to be fully effective.
- To prevent future soiling, it is recommended to use a suitable protective treatment : **GoProtect MULTI SURFACE PROTECTOR.**

RECOMMENDATIONS

- Wear protective gloves and glasses, and appropriate clothing whilst using the product.
- Do not dilute or mix with any other product, notably bleach (risks of toxic chloride gas emission).
- Do not apply during rain or frost and when surface and air temperature is < 5°C and > 30°C.

TECHNICAL DATA

- Physical State at 20 °C : Liquid
- Appearance : Pale straw colour
- Odour : Characteristic
- pH : <12
- VOC : 0.0 g/litre
- Boiling point [°C] : 100 °C
- Density : 1.09 Kg/L
- Solubility in water [vol/vol] : Fully soluble Flash Point [°C]

EQUIPMENT CLEANING

Immediately after you have finished, clean all tools and equipment with water.

STORAGE & SHELF LIFE

Keep in a dry place (between 5°C and 30°C).

Storage: 24 months following the production date when kept in the original unopened container.

RECOMMENDATIONS

Do not use below 4°C. Avoid use in rainy conditions.

HEALTH & SAFETY

See Material Safety Data Sheet before use.

Important: The content of this documentation is based on our experience of the product. Lubelska Ltd. guarantees the quality of its products, but expressly declines any liability in the event of failure by the user to comply with the recommendations and conditions of use of said products, notably but not exclusively in the event of incorrect application, application by unqualified personnel, use of products not compatible with GoProtect's products or bad weather conditions. For further information, refer to the safety data sheet.

LUBELSKA PRODUCT CODE: R-06